## **Continued Examination Under 37 CFR 1.114**

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on April 29, 2008 has been entered.

## **EXAMINER'S AMENDMENT**

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

## IN THE CLAIMS:

Claims 21-36 have been <u>canceled</u>, as being drawn to the non-elected invention, non-elected <u>without</u> traverse in the response dated January 9, 2007.

## IN THE TITLE:

Please note the title of the invention has been changed by the Examiner to the following to more accurately reflect the claimed invention:

--METHOD FOR CLEANING THE SCREEN STENCIL OF A SILK-SCREEN PRINTING DEVICE--

Application/Control Number: 10/536,795 Page 3

Art Unit: 2854

3. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Leslie J. Evanisko whose telephone number is (571) 272-2161.

The examiner can normally be reached on T-F 8:00 am-6:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Leslie J. Evanisko/

Leslie J. Evanisko

Primary Examiner

Art Unit 2854

lje

June 4, 2008